Central West Hip/Knee Osteoarthritis Rapid Access Clinic Referral



2	> Ontario
	Central West Local Health Integration Network
	Réseau local d'intégration des services de santé

	Referral Date: YYYY MM DD				
FAX: 1-855-508-6692 All information above the double line must be complete.					
CONSULTATION OPTIONS (select one or referral will be processed as "next available")					
☐ Next available appointment withinLHIN					
☐ Preferred Rapid Access Clinic					
☐ Headwaters Health Care Centre ☐ Etobicoke General ☐ Brampton Civic ☐ Other					
☐ Preferred Hospital for Surgery					
☐ Brampton Civic ☐ Other					
☐ Preferred Surgeon, Dr					
Referring Physician Information	Patient Information				
Name:	Name:				
Specialty: Street:	Street: City/Town:				
City/Town:	Postal Code:				
Postal Code:	Date of Birth:				
Phone:	Health Card #: VC:				
Fax:	WSIB Claim #:				
Email:	Gender: ☐ Male ☐ Female				
Billing #:	Preferred language if unable to speak English:				
Signature:	Phonoi				
Family Physician Information (if different)	Phone:				
Name:Phone:	Alternate Phone: Email:				
I Horic.					
DIAGNOSIS: □ Hip Right / Left □ Knee Right	/ Left REASON FOR REFERRAL:				
DIAGNOSIS: □ Hip Right / Left □ Knee Right □ Osteoarthritis □ Inflammatory arthritis □ Fractu	/ Left REASON FOR REFERRAL: Ire Primary Replacement: □ Hip □ Knee				
DIAGNOSIS: ☐ Hip Right / Left ☐ Knee Right ☐ Osteoarthritis ☐ Inflammatory arthritis ☐ Fractu☐ Post-traumatic arthritis ☐ Failed hip or knee repla	/ Left REASON FOR REFERRAL: ure □ Primary Replacement: □ Hip □ Knee □ Opinion on prior replacement: □ Hip □ Knee				
DIAGNOSIS: ☐ Hip Right / Left ☐ Knee Right ☐ Osteoarthritis ☐ Inflammatory arthritis ☐ Fractu ☐ Post-traumatic arthritis ☐ Failed hip or knee repla ☐ Joint derangement not yet diagnosed	/ Left REASON FOR REFERRAL: Primary Replacement: □ Hip □ Knee □ Opinion on prior replacement: □ Hip □ Knee □ Opinion/management advice: □ Hip □ Knee				
DIAGNOSIS: ☐ Hip Right / Left ☐ Knee Right ☐ Osteoarthritis ☐ Inflammatory arthritis ☐ Fractu☐ Post-traumatic arthritis ☐ Failed hip or knee repla	/ Left REASON FOR REFERRAL: ure □ Primary Replacement: □ Hip □ Knee □ Opinion on prior replacement: □ Hip □ Knee				
DIAGNOSIS: ☐ Hip Right / Left ☐ Knee Right ☐ Osteoarthritis ☐ Inflammatory arthritis ☐ Fractu ☐ Post-traumatic arthritis ☐ Failed hip or knee repla ☐ Joint derangement not yet diagnosed	/ Left Ire Incement Opinion on prior replacement: □ Hip □ Knee □ Opinion/management advice: □ Hip □ Knee URGENCY:□ Routine □ Urgent NOTE: criteria as				
DIAGNOSIS: ☐ Hip Right / Left ☐ Knee Right ☐ Osteoarthritis ☐ Inflammatory arthritis ☐ Fractu ☐ Post-traumatic arthritis ☐ Failed hip or knee repla ☐ Joint derangement not yet diagnosed ☐ Other: X-RAY REPORTS OF THE AFFECT	/ Left Ire Ince Ince Ince Ince Ince Ince Ince Inc				
DIAGNOSIS: ☐ Hip Right / Left ☐ Knee Right ☐ Osteoarthritis ☐ Inflammatory arthritis ☐ Fractu ☐ Post-traumatic arthritis ☐ Failed hip or knee repla ☐ Joint derangement not yet diagnosed ☐ Other: X-RAY REPORTS OF THE AFFECT If no X-ray report is available from within the last 6	/ Left REASON FOR REFERRAL: □ Primary Replacement: □ Hip □ Knee □ Opinion on prior replacement: □ Hip □ Knee □ Opinion/management advice: □ Hip □ Knee URGENCY:□ Routine □ Urgent NOTE: criteria as per pg. 2 MUST be attached or will be processed as routine ED JOINT MUST ACCOMPANY REFERRAL 5 months, we recommend the following hip/knee OA views:				
DIAGNOSIS: ☐ Hip Right / Left ☐ Knee Right ☐ Osteoarthritis ☐ Inflammatory arthritis ☐ Fractu ☐ Post-traumatic arthritis ☐ Failed hip or knee repla ☐ Joint derangement not yet diagnosed ☐ Other: X-RAY REPORTS OF THE AFFECT If no X-ray report is available from within the last 6 Knee: AP weight bearing, lateral of knee flexed at	/ Left Ire Ince Ince Ince Ince Ince Ince Ince Inc				
DIAGNOSIS: ☐ Hip Right / Left ☐ Knee Right ☐ Osteoarthritis ☐ Inflammatory arthritis ☐ Fractu ☐ Post-traumatic arthritis ☐ Failed hip or knee repla ☐ Joint derangement not yet diagnosed ☐ Other: X-RAY REPORTS OF THE AFFECT If no X-ray report is available from within the last 6 Knee: AP weight bearing, lateral of knee flexed at Patients are required to bring	Left				
DIAGNOSIS: ☐ Hip Right / Left ☐ Knee Right ☐ Osteoarthritis ☐ Inflammatory arthritis ☐ Fractu ☐ Post-traumatic arthritis ☐ Failed hip or knee repla ☐ Joint derangement not yet diagnosed ☐ Other: X-RAY REPORTS OF THE AFFECT If no X-ray report is available from within the last 6 Knee: AP weight bearing, lateral of knee flexed at Patients are required to bring	/ Left REASON FOR REFERRAL: □ Primary Replacement: □ Hip □ Knee □ Opinion on prior replacement: □ Hip □ Knee □ Opinion/management advice: □ Hip □ Knee URGENCY:□ Routine □ Urgent NOTE: criteria as per pg. 2 MUST be attached or will be processed as routine ED JOINT MUST ACCOMPANY REFERRAL 5 months, we recommend the following hip/knee OA views: 30°, skyline Hip: AP pelvis, AP and lateral of affected hip				
DIAGNOSIS: ☐ Hip Right / Left ☐ Knee Right ☐ Osteoarthritis ☐ Inflammatory arthritis ☐ Fractu ☐ Post-traumatic arthritis ☐ Failed hip or knee repla ☐ Joint derangement not yet diagnosed ☐ Other: X-RAY REPORTS OF THE AFFECT If no X-ray report is available from within the last 6 Knee: AP weight bearing, lateral of knee flexed at Patients are required to bring	Left				
DIAGNOSIS: ☐ Hip Right / Left ☐ Knee Right ☐ Osteoarthritis ☐ Inflammatory arthritis ☐ Fractu ☐ Post-traumatic arthritis ☐ Failed hip or knee repla ☐ Joint derangement not yet diagnosed ☐ Other: X-RAY REPORTS OF THE AFFECT If no X-ray report is available from within the last 6 Knee: AP weight bearing, lateral of knee flexed at Patients are required to bring In the setting of osteoarthritis, MRI is not us	Left				
DIAGNOSIS: ☐ Hip Right / Left ☐ Knee Right ☐ Osteoarthritis ☐ Inflammatory arthritis ☐ Fractu ☐ Post-traumatic arthritis ☐ Failed hip or knee repla ☐ Joint derangement not yet diagnosed ☐ Other: X-RAY REPORTS OF THE AFFECT If no X-ray report is available from within the last of Knee: AP weight bearing, lateral of knee flexed at Patients are required to bring In the setting of osteoarthritis, MRI is not us CURRENT SYMPTOMS (check all that apply)	REASON FOR REFERRAL: Primary Replacement: Hip Knee Opinion on prior replacement: Hip Knee Opinion/management advice: Hip Knee URGENCY: Routine Urgent NOTE: criteria as per pg. 2 MUST be attached or will be processed as routine				
DIAGNOSIS: ☐ Hip Right / Left ☐ Knee Right ☐ Osteoarthritis ☐ Inflammatory arthritis ☐ Fractu ☐ Post-traumatic arthritis ☐ Failed hip or knee repla ☐ Joint derangement not yet diagnosed ☐ Other: X-RAY REPORTS OF THE AFFECT If no X-ray report is available from within the last of Knee: AP weight bearing, lateral of knee flexed at Patients are required to bring In the setting of osteoarthritis, MRI is not us CURRENT SYMPTOMS (check all that apply) ☐ Locking ☐ Instability/giving way ☐ Swelling	REASON FOR REFERRAL: Primary Replacement: Hip Knee Opinion on prior replacement: Hip Knee Opinion/management advice: Hip Knee URGENCY: Routine Urgent NOTE: criteria as per pg. 2 MUST be attached or will be processed as routine MUST ACCOMPANY REFERRAL Opinion Hip: AP pelvis, AP and lateral of affected hip Hip: AP pelvis, AP and lateral of affected hip Hip: AP pelvis, AP and lateral of affected hip TREATMENTS TO DATE (check all that apply) Analgesics Non-steroidal anti-inflammatory drugs Injections: Steroid Viscosupplement Arthroscopy Physiotherapy				
DIAGNOSIS: ☐ Hip Right / Left ☐ Knee Right ☐ Osteoarthritis ☐ Inflammatory arthritis ☐ Fractu ☐ Post-traumatic arthritis ☐ Failed hip or knee repla ☐ Joint derangement not yet diagnosed ☐ Other: X-RAY REPORTS OF THE AFFECT If no X-ray report is available from within the last of knee: AP weight bearing, lateral of knee flexed at Patients are required to bring In the setting of osteoarthritis, MRI is not us CURRENT SYMPTOMS (check all that apply) ☐ Locking ☐ Instability/giving way ☐ Swelling ☐ Pain with activity: ☐ Mild ☐ Moderate ☐ Severe	REASON FOR REFERRAL: Primary Replacement: Hip Knee Opinion on prior replacement: Hip Knee Opinion/management advice: Hip Knee URGENCY: Routine Urgent NOTE: criteria as per pg. 2 MUST be attached or will be processed as routine				
DIAGNOSIS: ☐ Hip Right / Left ☐ Knee Right ☐ Osteoarthritis ☐ Inflammatory arthritis ☐ Fractu ☐ Post-traumatic arthritis ☐ Failed hip or knee repla ☐ Joint derangement not yet diagnosed ☐ Other: X-RAY REPORTS OF THE AFFECT If no X-ray report is available from within the last of Knee: AP weight bearing, lateral of knee flexed at Patients are required to bring In the setting of osteoarthritis, MRI is not us CURRENT SYMPTOMS (check all that apply) ☐ Locking ☐ Instability/giving way ☐ Swelling ☐ Pain with activity: ☐ Mild ☐ Moderate ☐ Severe ☐ Pain at rest/night: ☐ Mild ☐ Moderate ☐ Severe	REASON FOR REFERRAL: Primary Replacement: Hip Knee Opinion on prior replacement: Hip Knee Opinion/management advice: Hip Knee URGENCY: Routine Urgent NOTE: criteria as per pg. 2 MUST be attached or will be processed as routine MUST ACCOMPANY REFERRAL Opinion Hip: AP pelvis, AP and lateral of affected hip Hip: AP pelvis, AP and lateral of affected hip Hip: AP pelvis, AP and lateral of affected hip TREATMENTS TO DATE (check all that apply) Analgesics Non-steroidal anti-inflammatory drugs Injections: Steroid Viscosupplement Arthroscopy Physiotherapy				
DIAGNOSIS: ☐ Hip Right / Left ☐ Knee Right ☐ Osteoarthritis ☐ Inflammatory arthritis ☐ Fractu ☐ Post-traumatic arthritis ☐ Failed hip or knee repla ☐ Joint derangement not yet diagnosed ☐ Other: X-RAY REPORTS OF THE AFFECT If no X-ray report is available from within the last of the Knee: AP weight bearing, lateral of knee flexed at Patients are required to bring In the setting of osteoarthritis, MRI is not us CURRENT SYMPTOMS (check all that apply) ☐ Locking ☐ Instability/giving way ☐ Swelling ☐ Pain with activity: ☐ Mild ☐ Moderate ☐ Severe ☐ Pain at rest/night: ☐ Mild ☐ Moderate ☐ Severe ☐ Other:	REASON FOR REFERRAL: Primary Replacement: Hip Knee Opinion on prior replacement: Hip Knee Opinion/management advice: Hip Knee URGENCY: Routine Urgent NOTE: criteria as per pg. 2 MUST be attached or will be processed as routine MUST ACCOMPANY REFERRAL Smonths, we recommend the following hip/knee OA views: 30°, skyline Hip: AP pelvis, AP and lateral of affected hip getheir X-Rays to their appointment. Smally further contributory and is not recommended.				
DIAGNOSIS: ☐ Hip Right / Left ☐ Knee Right ☐ Osteoarthritis ☐ Inflammatory arthritis ☐ Fractu ☐ Post-traumatic arthritis ☐ Failed hip or knee repla ☐ Joint derangement not yet diagnosed ☐ Other: X-RAY REPORTS OF THE AFFECT If no X-ray report is available from within the last of the Knee: AP weight bearing, lateral of knee flexed at Patients are required to bring In the setting of osteoarthritis, MRI is not us CURRENT SYMPTOMS (check all that apply) ☐ Locking ☐ Instability/giving way ☐ Swelling ☐ Pain with activity: ☐ Mild ☐ Moderate ☐ Severe ☐ Pain at rest/night: ☐ Mild ☐ Moderate ☐ Severe ☐ Other: ☐ Other: ☐ CURRENT ASSISTIVE DEVICES ☐ None ☐ Cane(s) ☐ Crutches ☐ Rollator/Walker ☐ Wheelchair ☐ Bedridden	REASON FOR REFERRAL: Primary Replacement: Hip Knee Opinion on prior replacement: Hip Knee Opinion/management advice: Hip Knee URGENCY: Routine Urgent NOTE: criteria as per pg. 2 MUST be attached or will be processed as routine MUST ACCOMPANY REFERRAL Smonths, we recommend the following hip/knee OA views: 30°, skyline Hip: AP pelvis, AP and lateral of affected hip getheir X-Rays to their appointment. Smally further contributory and is not recommended.				

For questions, please call the Central West Central Intake Program at: 905-796-0040 ext. 7175



Central West Hip/Knee Osteoarthritis Rapid Access Clinic Referral







MSK Rapid Access Clinic Hip & Knee

PROGRAM INFORMATION

The Rapid Access Clinic for hip and knee arthritis provides patients with an assessment by an Advanced Practice Provider within 4-6 weeks of when the completed referral is received by the Central Intake Program. An Advanced Practice Provider is a Regulated Healthcare Professional such as a Physiotherapist, Registered Nurse, Nurse Practitioner or Chiropractor with additional training in orthopedic care. The Advanced Practice Provider conducts a standardized assessment and based on results, patients will be referred for surgical consult or provided with conservative management recommendations. Along the care continuum, primary care providers will receive updates on the patient's journey.

	journey.			
CRITERIA FOR REFERRALS VIA CENTRAL INTAKE				
Referrals fitting this criteria will be routed to the Rapid Access Clinic (RAC) and seen within 14-28 business days Moderate to severe hip or knee osteoarthritis Patients 18 years or older	URGENT CRITERIA (To be routed to RAC and seen within 7-10 business days) □ Avascular necrosis of the hip or knee (AVN) □ Spontaneous osteonecrosis of the knee (SONK)	URGENT CRITERIA (To be routed directly to surgeon and seen within 7-10 business days) □ Prior arthroplasty within periprosthetic fracture, infection, recurrent dislocation □ An immediate threat to the role and independence, potentially requiring hospitalization within 4 weeks		
RAPID ACCESS CLINIC LOCATIONS				
Brampton: Brampton Civic Hospital 2100 Bovaird Drive E Brampton, ON L6R 3J7	Etobicoke: Etobicoke General Hospital 115 Humber College Blvd Etobicoke, ON M9V 1R8	Orangeville: Headwaters Health Care Centre 100 Rolling Hills Drive Orangeville, ON L9W 4X9		

SURGERY HOSPITAL SITES

William Osler Health System
Brampton Civic Hospital
Brampton Civic Hospital
2100 Bovaird Drive E
Brampton, ON
L6R 3J7

ORTHOPAEDIC SURGEONS

FOR UP-TO-DATE SURGEON INFORMATION PLEASE VISIT THE "For HSP" SECTION OF THE CENTRAL WEST LHIN'S WEBSITE AT: centralwestlhin.on.ca

